



VM Workshop 2023

Securing z/VM and Linux using Tor Hidden Services

Rick Troth, CISSP, BAE Systems

<rmt@casita.net>



Audience: Linux admins, z/VM admins, z/VSE admins,
cybersec aficionados, curious workshop attendees

Today's goal: understand basic Tor concepts, see how
to use Tor with z/VM, conclude "*we gotta have that!*",
use it, tell friends, stay out of trouble (IT dept, NSA)

Tor can't help you if you don't use it right.





disclaimer ...



The content of this presentation is informational only. The reader or attendee is responsible for his/her own use of the concepts and examples presented herein.

In other words: Your mileage may vary. “It Depends.”
Results not typical. Actual mileage will probably be less.
Use only as directed. Do not fold, spindle, or mutilate.
Not to be taken on an empty stomach.
Refrigerate after opening.





special disclaimer ...

Many enterprises frown on this, even the presentation.
They consider Tor not suitable for corporate use.
We will show some examples.

The Workshop organizers do not want to give the idea
that they sanction using something as fringe as Tor.





about:rick



- Unix for 35+ years, Linux since 0.99
- VM/SP (et al) since 1981, VMware, Xen, KVM
- Passionate about open-source systems
- Previous jobs: SSL stack, z/VM, Unix/Linux
- Data security: Voltage 2015-2022, now at BAE



VM Workshop







Tunneling into Tor



What exactly is Tor?

- Some History, a little How-To, and stories
- Tor client proxy, tor “server”, and hidden services

What can Tor do for z/VM?

- Look outside the box (or maybe “think outside the box”)
- Leverage Tor “Hidden Services” (HS) for z/VM TCP/IP





about:tor



The Onion Router



- <http://www.torproject.org/>
- Originally a US Navy project, first release 2002-September-20
- Other sponsors (e.g., EFF), now 501(c)(3)

“making the web safe for whistleblowers”





about:tor

News Flash ...

- July 2016 the whole Tor Project board resigned
- New board members: Matt Blaze, Cindy Cohn, Gabriella Coleman, Linus Nordberg, Megan Price, and Bruce Schneier



So what's up with that??

Can we *trust* the new board??





about:tor

How Tor Works: 2

Tor node

unencrypted link

encrypted link

Alice



Step 2: Alice's Tor client picks a random path to destination server. **Green links** are encrypted, **red links** are in the clear.



Dave



Jane



Bob


Exit node

Your Tor





about:tor





Using Tor

“But Rick, how do we *use* it?”

- Just run it
- *Don't* run it as root
- Use an RC file, perhaps **/etc/tor/torrc** else “not present, using reasonable defaults”
- State directory **\$HOME/.tor** will be created
- Point at it as a SOCKS proxy





Using Tor – SOCKS4a proxy



☒ Manual proxy configuration:

HTTP Proxy: Port:

☐ Use this proxy server for all protocols

SSL Proxy: Port:

FTP Proxy: Port:

SOCKS Host: Port:

☒ SOCKS v4 ☐ SOCKS v5





Using Tor – avoid DNS leakage



- Force hostname resolution through the proxy
- See Firefox `about:config` panel

```
network.dns.cacheExpirationGracePeriod  
network.proxy.socks_remote_dns  
social.manifest.facebook
```

default	integer	2592000
user set	boolean	true
default	string	["origin":"https://





Using Tor – OpenSSH and Netcat




```
ssh -o \  
ProxyCommand=\  
'netcat -x 127.0.0.1:9050 %h %p' \  
XXXXXXX.onion
```

Probably obvious, but it's not all about web surfing.





Using Tor – PuTTY



PuTTY Configuration

Category:

- + Session
- + Terminal
- + Window
- Connection
 - ... Data
 - Proxy
 - + SSH
 - ... Serial
 - ... Telnet
 - ... Rlogin
 - ... SUPDUP

Options controlling proxy usage

Proxy type: SOCKS 4

Proxy hostname: 127.0.0.1 Port: 9050

Exclude Hosts/IPs

☐ Consider proxying local host connections

Do DNS name lookup at proxy end:


☐ No ☐ Auto ☒ Yes





Using Tor – PuTTY



 PuTTY Configuration

Category:

- ☒ Session
- ☐ Terminal
- ☐ Window
- ☐ Connection

Basic options for your PuTTY session

Specify the destination you want to connect to

Host Name (or IP address)	Port
au3nlomcvi3udaa3ihuezqbto4bravrd43w	22

Connection type:

☒ SSH ☐ Serial ☐ Other: Telnet





Using Tor – X3270



```
x3270 \  
-proxy socks4:127.0.0.1:9050 \  
xxxxxxxx.onion
```





What's with the “dot onion”?

Introducing ... *hidden services* [the crowd cheers]



- Traffic past an “exit node” is visible outside
- Traffic handled by a “hidden service” is not visible
- Hidden services are known by “.onion” hostnames






Where's Bob?

How Tor Works: 2

 Tor node

 unencrypted link

 encrypted link



Step 2: Alice's Tor client picks a random path to destination server. **Green links** are encrypted, **red links** are in the clear.

No exit node

Your Tor





Does It Work?



Yup, some say so.

“Not Even the NSA Can Crack
the State Dept's Favorite Anonymous Network”
[Wikipedia, Foreign Policy, “The Cable”, wayback]





Isn't It Illegal?



Not at all, though it does get bad press.

In its filing against Ross William Ulbricht (Dread Pirate Roberts) of Silk Road, the FBI acknowledged that Tor has “known legitimate uses”.

[Wikipedia, UC Berkeley, wayback]





Using Tor with z/VM


“But Rick, what’s this got to do with VM?”

- nuthin!
- Except VM (and VSE, MVS, TPF) is in the same DC
- Use “remote” (w/r/t the Tor host) hidden services
- Use it where PKI won’t suffice; no conflict with PKI
- No changes needed to VM (nor VSE, TPF, MVS)





Using Tor with z/VM




Define a hidden service,
some ports local, others remote





Using Tor with all Z



Define a hidden service,
some ports local, others remote

Define a second hidden service, same box

Define a third hidden service, same box





Getting Tor



- Get the source and compile it
 - `https://www.torproject.org/dist/tor-0.4.7.13.tar.gz`
 - `https://www.torproject.org/dist/tor-0.4.7.13.tar.gz.asc`
- Get it from your software package repository
 - SUSE, Debian, RedHat and derivatives, BSD





Example RC file for Tor

Nickname myzvmssystem

ContactInfo zVM Master <maint AT vm dot dom>

...






Example RC file with Hidden Service

...

```
HiddenServiceDir      /var/tor/hidden_service/  
HiddenServicePort     22 192.168.29.111:22  
HiddenServicePort     23 192.168.29.222:23  
HiddenServicePort     80 192.168.29.222:80
```





Demo Time





.onion addresses (.onion hostnames)

The long and the short of it ...

Originally: `2hiyjpes6xu5ds71.onion`

Currently: `au3nlomcvi3udaa3
ihuezqbto4bravrd
43wvehyhq24ricqk
kwy2csyd.onion`





Popular .onion Sites

- Protonmail
- Keybase
- Debian
- DuckDuckGo
- Facebook



If the site also has a public address, does it need HS?





The Pain of Certificate Management

- Generate a private key
- Generate a certificate request
- Submit the request
- ... wait ...
- Install the certificate, install intermediates?
- Come back next year, do it all over again





The Pain of Certificate Management

- Which CA to use?
- In-house CA needed?
- Costs of certificates justified?

There is no Easy Button

SSH, PGP, Tor, different trust models each with their own issues





The Pain of Certificate Management

Comparing Tor with PKI

- No CA to trust (but must trust the Tor network)
- No certificate to manage (hidden service key is automatic)
- Full anonymization (connections are not easily tracked)






The Pain of Certificate Management

One of the inherent problems of standard HTTPS is that trust put in a website is defined by certificate authorities: a hierarchical and closed set of companies and governmental institutions approved by your web browser vendor. This model of trust has long been criticized and proven ... to be vulnerable to attacks ...






Trust Models





Trust Models





Exit Node Extras



Three kinds of Tor nodes

- Exit Node (or “exit relay”, seen above)
- Relay Node (“guard” or “middle”, generally safe from worry)
- Bridge Node (unpublished exit)

This was
my mistake

Hidden services
live here





Exit Node Extras



To run an exit node, in your “torrc” file:

- ORPort 9001
- DirPort 9030

2020, doing research for a Tor talk,
I left an exit node running ... at home






Exit Node Extras

Home residential IP address suddenly blocked by ...

- Key Bank,
- Capital One credit card issuer,
- Verizon Wireless cellular provider,
- Norwegian Cruise Line,
- Zoom conferencing





Exit Node Extras

403 Forbidden - Mozilla Firefox

File Edit View History Bookmarks Tools Help

403 Forbidden

Verizon Digital Media Services, Inc. (US) | <https://www.verizon.com/support/4g-sim-card-faqs/>

Access denied, in accordance with Verizon Information Security Policy

Please [contact us](#) with the following Case ID 173132182797848214417713528316369449729 if there is a legitimate business need to access this content.



Exit Node Extras

Comments:

2020-09-26 09:23:24 PDT - Guest (Additional comments (client notes))

Reply from: vz.gts.asap.monitoring@verizon.com

The IP is listed as a TOR Exit Node for the TOR Project. It is against Verizon Security Policy to allow TOR Exit node access to the network. Please remove all TOR Node configurations and notify the TOR project to remove your IP from their list of TOR Exit Nodes.

Thank you.





Exit Node Extras



Further response ...

“Although some users of the TOR project are using it for good intentions and so forth, it is also a place where nefarious users can also perform anonymous malicious attacks and attempt fraudulent activities. Thus, Verizon deems the project's network as risky and restricts communications from their TOR Exit Nodes. As a security specialist, we hope you can understand this position. We apologize for the inconvenience. However, it is for the security of all our Verizon clients.”





Conclusion ... maybe you should use Tor

- Tor is a tool providing anonymity (privacy)
- Tor Hidden Services provide strong end-to-end encryption
 - do not interfere with other security protocols (e.g., TLS)
 - do not require changes to VM or sibling systems
- Tor is easy to run and configure and relatively easy to use





Thank you!

<http://www.casita.net/vmworkshop/2023/torforzvm.ppt>

<http://www.casita.net/vmworkshop/2023/torforzvm/>





Thank you!

Or when you're "on" Tor ...

`[] = au3nlomcvi3udaa3ihuezqbt04bravrd43wvehyhq24ricqkkwy2csyd.onion`

`http:// [] /vmworkshop/2023/torforzvm.ppt`

`http:// [] /vmworkshop/2023/torforzvm/`





Building Tor from Source

“If you’re not using the source code, then ‘open source’ might not really be part of your supply chain.”

`package-version.tar.gz`

`package-version.tar.gz.asc` (or `.sig`, `.sign`)

<https://www.torproject.org/dist/tor-0.4.7.13.tar.gz>





Getting and Vetting the Source

```
gpg --verify package-version.tar.zz.asc
```

- Extract the key ID (check the sig, it will fail)
- Find that key in the Web-of-Trust
- Walk the trust chain; if trusted then add key
- Check the signature again (for real)





Getting and Vetting the Source

- Get files, extract key, find in WOT, follow the chain
- Do you trust it? If so then add key and re-check src sig
- Signing key: `0x42e86a2a11f48d36`

`https://the.earth.li/~noodles/pathfind.html`

Find me the path from

to

Tor project sometimes signs a hash and not the tarball.





Getting and Vetting the Source

Multiple “paths”
between the keys
provide more
assurance.

from	stats Rick Troth <rmt.at.casita.net>	96af6544edf138d9
to	stats Nick Mathewson <nickm.at.alum.mit.edu>	fe43009c4607b1fb
find	reverse path	<input type="button" value="trust paths"/>
see also	The data on this page is available as a json file .	<input type="button" value="reset"/>

- 0 [96af6544edf138d9](#) [stats](#) [Rick Troth <rmt.at.casita.net>](#) #10982 signs
 - 1 [8a3171ef366150ce](#) [stats](#) [David Steele <steele.at.debian.org>](#) #4667 signs
 - 2 [8cbf9a322861a790](#) [stats](#) [Micah Anderson <micah.at.riseup.net>](#) #218 signs
 - 3 [fe43009c4607b1fb](#) [stats](#) [Nick Mathewson <nickm.at.alum.mit.edu>](#) #5684
-
- 0 [96af6544edf138d9](#) [stats](#) [Rick Troth <rmt.at.casita.net>](#) #10982 signs
 - 1 [9ec002fe1c9ca517](#) [stats](#) [Michael C. Schultheiss <schultmc.at.debian.org>](#) #460 signs
 - 2 [06eaa066e397832f](#) [stats](#) [Luca Capello <luca.at.pca.it>](#) #21 signs
 - 3 [65b3f094ea3e4d61](#) [stats](#) [Jens Kurbieziel <jens.at.kurbieziel.de>](#) #274 signs
 - 4 [fe43009c4607b1fb](#) [stats](#) [Nick Mathewson <nickm.at.alum.mit.edu>](#) #5684
-
- 0 [96af6544edf138d9](#) [stats](#) [Rick Troth <rmt.at.casita.net>](#) #10982 signs
 - 1 [600a553ff666c91d](#) [stats](#) [Jeff Licquia <jeff.at.licquia.org>](#) #889 signs
 - 2 [89cd4b21607559e6](#) [stats](#) [Benjamin Hill \(Mako\) <mako.at.atdot.cc>](#) #7 signs
 - 3 [42e86a2a11f48d36](#) [stats](#) [David Goulet <dgoulet.at.ev0ke.net>](#) #775 signs
 - 4 [fe43009c4607b1fb](#) [stats](#) [Nick Mathewson <nickm.at.alum.mit.edu>](#) #5684



Explode, Config, “just make”

gzip

```
tar xzf tor-0.4.7.13.tar.gz (then 'cd')  
./configure optional --prefix=  
make  
make install  
make clean or make distclean  
  
(or use Chicory)
```

